

HYPER FOX

SMART ENERGY



Made in Korea

www.Hyperfoxbattery.com

SEALED MAINTENANCE FREE BATTERIES

JIS BATTERIES
FOR JAPANESE VEHICLES

Gr. No	Type No.	Capacity	CCA	Dimension (mm)				Layout	Terminal	Hold-Down
		(20HR)	SAE	L	W	H	TH			
B19	MF40B19L	35	330	187	127	200	220	0	B	B0
B19	MF40B19R	35	330	187	127	200	220	1	B	B0
B19	MF40B19LS	35	330	187	127	200	220	0	A	B0
B19	MF40B19RS	35	330	187	127	200	220	1	A	B0
B19	MF40B19FL	35	330	187	127	200	220	0	B	B1
B19	MF42B19L	38	350	187	127	200	220	0	B	B0
B19	MF42B19R	38	350	187	127	200	220	1	B	B0
B19	MF42B19LS	38	350	187	127	200	220	0	A	B0
B19	MF42B19RS	38	350	187	127	200	220	1	A	B0
B19	MF42B19FL	38	350	187	127	200	220	0	B	B1
B19	MF44B19L	40	370	187	127	200	220	0	B	B0
B19	MF44B19R	40	370	187	127	200	220	1	B	B0
B19	MF44B19FL	40	370	187	127	200	220	0	B	B1
B19	MF50B19R	42	380	187	127	200	220	1	B	B0
B19	MF50B19L	42	380	187	127	200	220	0	B	B0
B19	MF50B19RS	42	380	187	127	200	220	1	A	B0
B19	MF50B19LS	42	380	187	127	200	220	0	A	B0
B24	MF50B24L	45	400	234	127	200	220	0	B	B0
B24	MF50B24R	45	400	234	127	200	220	1	B	B0
B24	MF50B24LS	45	400	234	127	200	220	0	A	B0
B24	MF50B24RS	45	400	234	127	200	220	1	A	B0
B24	MF55B24L	45	430	234	127	200	220	0	B	B0
B24	MF55B24R	45	430	234	127	200	220	1	B	B0
B24	MF55B24LS	45	430	234	127	200	220	0	A	B0
B24	MF55B24RS	45	430	234	127	200	220	1	A	B0
B24	MF60B24L	48	460	234	127	200	220	0	B	B0
B24	MF60B24R	48	460	234	127	200	220	1	B	B0
B24	MF60B24LS	48	460	234	127	200	220	0	A	B0
B24	MF60B24RS	48	460	234	127	200	220	1	A	B0
B24	MF65B24R	48	470	234	127	200	220	1	B	B0
B24	MF65B24L	48	470	234	127	200	220	0	B	B0
B24	MF65B24RS	48	470	234	127	200	220	1	A	B0
B24	MF65B24LS	48	470	234	127	200	220	0	A	B0
D20	MF50D20L	50	450	200	172	200	220	0	A	B1
D20	MF50D20R	50	450	200	172	200	220	1	A	B1
D23	MF55D23L	60	550	230	172	200	220	0	A	B0
D23	MF55D23R	60	550	230	172	200	220	1	A	B0
D23	MF55D23FL	60	550	230	172	200	220	0	A	B1
D23	MF55D23FR	60	550	230	172	200	220	1	A	B1
D23	MF75D23L	65	580	230	172	200	220	0	A	B0
D23	MF75D23R	65	580	230	172	200	220	1	A	B0
D23	MF75D23FL	65	580	230	172	200	220	0	A	B1
D23	MF75D23FR	65	580	230	172	200	220	1	A	B1

SEALED MAINTENANCE FREE BATTERIES

JIS BATTERIES
FOR JAPANESE VEHICLES

Gr. No	Type No.	Capacity	CCA	Dimension (mm)				Layout	Terminal	Hold-Down
		(20HR)	SAE	L	W	H	TH			
D23	MF85D23L	68	600	230	172	200	220	0	A	B0
D23	MF85D23R	68	600	230	172	200	220	1	A	B0
D23	MF85D23FL	68	600	230	172	200	220	0	A	B1
D23	MF90D23R	68	630	230	172	200	220	1	A	B0
D23	MF90D23L	68	630	230	172	200	220	0	A	B0
D23	MF90D23FR	68	630	230	172	200	220	1	A	B1
D23	MF90D23FL	68	630	230	172	200	220	0	A	B1
D26	MF48D26L	50	450	257	172	200	220	0	A	B0
D26	MF48D26R	50	450	257	172	200	220	1	A	B0
D26	MF48D26FL	50	450	257	172	200	220	0	A	B1
D26	MF48D26FR	50	450	257	172	200	220	1	A	B1
D26	MF55D26L	60	550	257	172	200	220	0	A	B0
D26	MF55D26R	60	550	257	172	200	220	1	A	B0
D26	MF55D26FL	60	550	257	172	200	220	0	A	B1
D26	MF55D26FR	60	550	257	172	200	220	1	A	B1
D26	MF75D26L	65	580	257	172	200	220	0	A	B0
D26	MF75D26R	65	580	257	172	200	220	1	A	B0
D26	MF75D26FL	65	580	257	172	200	220	0	A	B1
D26	MF75D26FR	65	580	257	172	200	220	1	A	B1
D26	MF80D26L	70	600	257	172	200	220	0	A	B0
D26	MF80D26R	70	600	257	172	200	220	1	A	B0
D26	MF80D26FL	70	600	257	172	200	220	0	A	B1
D26	MF80D26FR	70	600	257	172	200	220	1	A	B1
D26	MF90D26L	72	630	257	172	200	220	0	A	B0
D26	MF90D26R	72	630	257	172	200	220	1	A	B0
D26	MF90D26FL	72	630	257	172	200	220	0	A	B1
D26	MF90D26FR	72	630	257	172	200	220	1	A	B1
D26	MF100D26R	70	680	257	172	200	220	1	A	B0
D26	MF100D26L	70	680	257	172	200	220	0	A	B0
D26	MF100D26FR	70	680	257	172	200	220	1	A	B1
D26	MF100D26FL	70	680	257	172	200	220	0	A	B1
D31	MF65D31L	70	600	302	172	200	220	0	A	B0
D31	MF65D31R	70	600	302	172	200	220	1	A	B0
D31	MF65D31FL	70	600	302	172	200	220	0	A	B1
D31	MF65D31FR	70	600	302	172	200	220	1	A	B1
D31	MF75D31L	75	660	302	172	200	220	0	A	B0
D31	MF75D31R	75	660	302	172	200	220	1	A	B0
D31	MF75D31FL	75	660	302	172	200	220	0	A	B1
D31	MF75D31FR	75	660	302	172	200	220	1	A	B1
D31	MF95D31L	80	670	302	172	200	220	0	A	B0
D31	MF95D31R	80	670	302	172	200	220	1	A	B0

SEALED MAINTENANCE FREE BATTERIES

JIS BATTERIES
FOR JAPANESE VEHICLES

Gr. No	Type No.	Capacity	CCA	Dimension (mm)				Layout	Terminal	Hold-Down
		(20HR)	SAE	L	W	H	TH			
D31	MF95D31FL	80	670	302	172	200	220	0	A	B1
D31	MF95D31FR	80	670	302	172	200	220	1	A	B1
D31	MF105D31L	90	750	302	172	200	220	0	A	B0
D31	MF105D31R	90	750	302	172	200	220	1	A	B0
D31	MF105D31FL	90	750	302	172	200	220	0	A	B1
D31	MF105D31FR	90	750	302	172	200	220	1	A	B1
D31	MF115D31L	95	830	302	172	200	220	0	A	B0
D31	MF115D31R	95	830	302	172	200	220	1	A	B0
D31	MF115D31FL	95	830	302	172	200	220	0	A	B1
D31	MF115D31FR	95	830	302	172	200	220	1	A	B1
D31	MF120D31R	90	880	302	172	200	220	1	A	B0
D31	MF120D31L	90	880	302	172	200	220	0	A	B0
D31	MF120D31FR	90	880	302	172	200	220	1	A	B1
D31	MF120D31FL	90	880	302	172	200	220	0	A	B1
CARNIVAL	MF100L	100	830	325	172	200	220	0	A	B1
E41	MF95E41L	100	830	402	171	205	226	0	A	B0
E41	MF95E41R	100	830	402	171	205	226	1	A	B0
E41	MF115E41L	110	900	402	171	205	226	0	A	B0
E41	MF115E41R	110	900	402	171	205	226	1	A	B0

DIN BATTERIES
FOR EUROPEAN

Gr. No	Type No.	Capacity	CCA	Dimension (mm)				Layout	Terminal	Hold-Down
		(20HR)	EN	L	W	H	TH			
L0	MF54080	40	340	174	174	190	190	0	A	B13
LB1	MF53646	36	330	208	174	175	175	0	A	B13
LB1	MF54321	45	450	208	174	175	175	0	A	B13
LB1	MF54322	45	450	208	174	175	175	1	A	B13
L1	MF54459	44	390	208	174	190	190	0	A	B13
L1	MF54464	44	390	208	174	190	190	1	A	B13
L1	MF55054	50	420	208	174	190	190	0	A	B13
L1	MF55090	50	470	208	174	190	190	0	A	B13
L1	MF55091	50	470	208	174	190	190	1	A	B13
LB2	MF54519	45	390	242	174	175	175	0	A	B13
LB2	MF55046	50	450	242	174	175	175	0	A	B13
LB2	MF55457	54	480	242	174	175	175	0	A	B13
LB2	MF55459	54	480	242	174	175	175	1	A	B13
LB2	MF55427	54	480	242	174	175	175	0	4F	B13
LB2	MF56077	60	510	242	174	175	175	0	A	B13
L2	MF55559	55	480	242	174	190	190	0	A	B13
L2	MF55565	55	480	242	174	190	190	1	A	B13
L2	MF55531	55	480	242	174	190	190	0	4F	B13

SEALED MAINTENANCE FREE BATTERIES

DIN BATTERIES
FOR EUROPEAN VEHICLES

Gr. No	Type No.	Capacity	CCA	Dimension (mm)				Layout	Terminal	Hold-Down
		(20HR)	EN	L	W	H	TH			
L2	MF56219	62	540	242	174	190	190	0	A	B13
L2	MF56220	62	540	242	174	190	190	1	A	B13
L2	MF56290	62	570	242	174	190	190	0	A	B13
L2	MF56291	62	570	242	174	190	190	1	A	B13
LB3	MF55415	54	480	277	174	175	175	0	A	B13
LB3	MF56318	63	540	277	174	175	175	0	A	B13
LB3	MF56828	68	570	277	174	175	175	0	A	B13
LB3	MF56821	68	570	277	174	175	175	1	A	B13
LB3	MF56818	68	570	277	174	175	175	0	4F	B13
LB3	MF57113	72	640	277	174	175	175	0	A	B13
L3	MF56638	66	540	277	174	190	190	0	A	B13
L3	MF56633	66	540	277	174	190	190	1	A	B13
L3	MF57220	72	610	277	174	190	190	0	A	B13
L3	MF57219	72	610	277	174	190	190	1	A	B13
L3	MF57290	72	720	277	174	190	190	0	A	B13
L3	MF57291	72	720	277	174	190	190	1	A	B13
L3	MF57412	74	680	277	174	190	190	0	A	B13
L3	MF57413	74	680	277	174	190	190	1	A	B13
LB4	MF57539	75	640	315	174	175	175	0	A	B13
L4	MF58043	80	640	315	174	190	190	0	A	B13
L4	MF58590	85	750	315	174	190	190	0	A	B13
L4	MF58591	85	750	315	174	190	190	1	A	B13
LB5	MF58515	85	720	354	174	175	175	0	A	B13
L5	MF58827	88	680	354	174	190	190	0	A	B13
L5	MF58821	88	680	354	174	190	190	1	A	B13
L5	MF59218	92	720	354	174	190	190	0	A	B13
L5	MF60038	100	850	354	174	190	190	0	A	B13
L5	MF60090	100	880	354	174	190	190	0	A	B13
B19	MF53520	35	330	187	127	200	220	0	B	B0
B19	MF53522	35	330	187	127	200	220	1	B	B0
B19	MF53504	35	330	187	136	200	220	0	B	B1
B19	MF54026	40	360	187	127	200	220	0	B	B0
B19	MF54027	40	360	187	127	200	220	1	B	B0
B24	MF54523	45	360	234	127	200	220	0	A	B0
B24	MF54524	45	360	234	127	200	220	1	A	B0
B24	MF54584	45	360	234	127	200	220	0	B	B0
B24	MF54551	45	360	234	127	200	220	1	B	B0
D20	MF55041	50	390	200	172	200	220	0	A	B1
D20	MF55042	50	390	200	172	200	220	1	A	B1
D23	MF56068	60	480	230	172	200	220	0	A	B1
D23	MF56069	60	480	230	172	200	220	1	A	B1
D26	MF56048	60	480	257	172	200	220	0	A	B1

SEALED MAINTENANCE FREE BATTERIES

DIN BATTERIES
FOR EUROPEAN VEHICLES

Gr. No	Type No.	Capacity	CCA	Dimension (mm)				Layout	Terminal	Hold-Down
		(20HR)	EN	L	W	H	TH			
D26	MF56049	60	480	257	172	200	220	1	A	B1
D26	MF57024	70	540	257	172	200	220	1	A	B1
D26	MF57029	70	540	257	172	200	220	0	A	B1
D31	MF57512	75	600	302	172	200	220	0	A	B1
D31	MF57513	75	600	302	172	200	220	1	A	B1
D31	MF58513	85	680	302	172	200	220	0	A	B1
D31	MF58514	85	680	302	172	200	220	1	A	B1
D31	MF59518	95	720	302	172	200	220	0	A	B1
D31	MF59519	95	720	302	172	200	220	1	A	B1
D31	MF60045	100	800	302	172	200	220	0	A	B1
D31	MF60046	100	800	302	172	200	220	1	A	B1

BCI BATTERIES
FOR AMERICAN VEHICLES

Gr. No	Type No.	RC	CCA	Dimension (mm)				Layout	Terminal	Hold-Down	BCI Assembly Figure No.
		(MIN)	SAE	L	W	H	TH				
51	MF51-430	71	430	234	136	200	220	1	A	B1	10
51	MF51-460	78	460	234	136	200	220	1	A	B1	10
51R	MF51R-430	71	430	234	136	200	220	0	A	B1	11
51R	MF51R-460	78	460	234	136	200	220	0	A	B1	11
21	MF21-450	80	450	200	172	200	220	1	A	B1	10
21R	MF21R-450	80	450	200	172	200	220	0	A	B1	11
26	MF26-450	80	450	208	172	180	200	1	A	B1	10
26	MF26-550	100	550	208	172	180	200	1	A	B1	10
26R	MF26R-450	80	450	208	172	180	200	0	A	B1	11
26R	MF26R-550	100	550	208	172	180	200	0	A	B1	11
85	MF85-500	85	500	230	172	180	200	0	A	B1	11
85	MF85-550	90	550	230	172	180	200	0	A	B1	11
86(85R)	MF85R-500	85	500	230	172	180	200	1	A	B1	10
86(85R)	MF85R-550	90	550	230	172	180	200	1	A	B1	10
34	MF34-550	100	550	260	172	180	200	1	A	B1	10
34	MF34-630	125	630	260	172	180	200	1	A	B1	10
34	MF34-670	130	670	260	172	180	200	1	A	B1	10
34	MF34-710	140	710	260	172	180	200	1	A	B1	10
34	MF34-750	155	750	260	172	180	200	1	A	B1	10
34R	MF34R-550	100	550	260	172	180	200	0	A	B1	11
34R	MF34R-630	125	630	260	172	180	200	0	A	B1	11
34R	MF34R-710	140	710	260	172	180	200	0	A	B1	11
34R	MF34R-750	155	750	260	172	180	200	0	A	B1	11
25	MF25-550	100	550	230	172	200	220	1	A	B1	10
35	MF35-550	100	550	230	172	200	220	0	A	B1	11
35	MF35-580	110	580	230	172	200	220	0	A	B1	11

SEALED MAINTENANCE FREE BATTERIES

BCI BATTERIES
FOR AMERICAN VEHICLES

Gr. No	Type No.	RC	CCA	Dimension (mm)				Layout	Terminal	Hold-Down	BCI Assembly Figure No.
		(MIN)	SAE	L	W	H	TH				
24	MF24-500	90	500	257	172	200	220	1	A	B1	10
24	MF24-550	100	550	257	172	200	220	1	A	B1	10
24	MF24-600	113	600	257	172	200	220	1	A	B1	10
24	MF24-630	130	630	257	172	200	220	1	A	B1	10
24	MF24-750	155	750	257	172	200	220	1	A	B1	10
24R	MF24R-500	90	500	257	172	200	220	0	A	B1	11
24R	MF24R-550	100	550	257	172	200	220	0	A	B1	11
24R	MF24R-600	113	600	257	172	200	220	0	A	B1	11
24R	MF24R-630	130	630	257	172	200	220	0	A	B1	11
24R	MF24R-750	155	750	257	172	200	220	0	A	B1	11
24F	MF24F-500	90	500	266	172	200	220	0	A	B5	11F
24F	MF24F-550	100	550	266	172	200	220	0	A	B5	11F
24F	MF24F-600	113	600	266	172	200	220	0	A	B5	11F
24F	MF24F-630	130	630	266	172	200	220	0	A	B5	11F
24F	MF24F-680	140	680	266	172	200	220	0	A	B5	11F
24F	MF24F-750	155	750	266	172	200	220	0	A	B5	11F
27	MF27-630	130	630	302	172	200	220	1	A	B1	10
27	MF27-670	140	670	302	172	200	220	1	A	B1	10
27	MF27-750	155	750	302	172	200	220	1	A	B1	10
27	MF27-840	190	840	302	172	200	220	1	A	B1	10
27R	MF27R-630	130	630	302	172	200	220	0	A	B1	11
27R	MF27R-670	140	670	302	172	200	220	0	A	B1	11
27R	MF27R-750	155	750	302	172	200	220	0	A	B1	11
27F	MF27F-630	130	630	311	172	200	220	0	A	B5	11F
27F	MF27F-670	140	670	311	172	200	220	0	A	B5	11F
27F	MF27F-750	155	750	311	172	200	220	0	A	B5	11F
27F	MF27F-810	180	810	311	172	200	220	0	A	B5	11F
27F	MF27F-840	190	840	311	172	200	220	0	A	B5	11F
30H	MF30H-900	182	830	325	172	200	220	1	A	B1	10
31	MF31-630	130	630	330	172	218	242	1	TOP	B0	18
31	MF31-700	150	700	330	172	218	242	1	TOP	B0	18
31	MF31-750	160	750	330	172	218	242	1	TOP	B0	18
31	MF31-800	170	800	330	172	218	242	1	TOP	B0	18
31	MF31-850	180	850	330	172	218	242	1	TOP	B0	18
31	MF31-1000	190	1000	330	172	218	242	1	TOP	B0	18
31S	MF31S-630	130	630	330	172	218	242	1	STUD	B0	18
31S	MF31S-700	150	700	330	172	218	242	1	STUD	B0	18
31S	MF31S-750	160	750	330	172	218	242	1	STUD	B0	18
31S	MF31S-800	170	800	330	172	218	242	1	STUD	B0	18
31S	MF31S-850	180	850	330	172	218	242	1	STUD	B0	18
31S	MF31S-1000	190	1000	330	172	218	242	1	STUD	B0	18
90	MF90-450	80	450	242	174	175	175	0	A	B13	24

SEALED MAINTENANCE FREE BATTERIES

BCI BATTERIES
FOR AMERICAN VEHICLES

Gr. No	Type No.	RC	CCA	Dimension (mm)				Layout	Terminal	Hold-Down	BCI Assembly Figure No.
		(MIN)	SAE	L	W	H	TH				
90	MF90-500	90	500	242	174	175	175	0	A	B13	24
90	MF90-550	100	550	242	174	175	175	0	A	B13	24
47	MF47-500	90	500	242	174	190	190	0	A	B13	24
47	MF47-600	110	600	242	174	190	190	0	A	B13	24
91	MF91-580	100	580	277	174	175	175	0	A	B13	24
91	MF91-630	110	630	277	174	175	175	0	A	B13	24
91	MF91-690	130	690	277	174	175	175	0	A	B13	24
48	MF48-580	100	580	277	174	190	190	0	A	B13	24
48	MF48-630	110	630	277	174	190	190	0	A	B13	24
48	MF48-690	130	690	277	174	190	190	0	A	B13	24
49	MF49-750	160	750	354	174	190	190	0	A	B13	24
49	MF49-850	180	850	354	174	190	190	0	A	B13	24
58	MF58-460	75	460	254	182	157	178	1	A	B8	26
58	MF58-500	90	500	254	182	157	178	1	A	B8	26
58	MF58-560	100	560	254	182	157	178	1	A	B8	26
58R	MF58R-460	75	460	254	182	157	178	0	A	B8	19
58R	MF58R-500	90	500	254	182	157	178	0	A	B8	19
58R	MF58R-560	100	560	254	182	157	178	0	A	B8	19
65	MF65-650	130	650	296	187	171	191	1	A	B8	10
65	MF65-750	140	750	296	187	171	191	1	A	B8	10
65R	MF65R-650	130	650	296	187	171	191	0	A	B8	11
65R	MF65R-750	140	750	296	187	171	191	0	A	B8	11
70	MF70-450	80	450	208	179	180	180	1	SIDE	B1	17
70	MF70-500	90	500	208	179	180	180	1	SIDE	B1	17
70	MF70-550	100	550	208	179	180	180	1	SIDE	B1	17
70DT	MF70DT-400	71	400	208	179	180	200	1	DT	B1	17
70DT	MF70DT-550	100	550	208	179	180	200	1	DT	B1	17
75	MF75-500	90	500	230	179	180	180	1	SIDE	B1	17
75	MF75-550	100	550	230	179	180	180	1	SIDE	B1	17
75	MF75-600	113	600	230	179	180	180	1	SIDE	B1	17
75	MF75-630	125	630	230	179	180	180	1	SIDE	B1	17
75	MF75-650	130	650	230	179	180	180	1	SIDE	B1	17
75DT	MF75DT-550	100	550	230	179	180	200	1	DT	B1	17
75DT	MF75DT-600	113	600	230	179	180	200	1	DT	B1	17
75DT	MF75DT-630	125	630	230	179	180	200	1	DT	B1	17
75DT	MF75DT-650	130	650	230	179	180	200	1	DT	B1	17
78	MF78-550	100	550	260	179	180	180	1	SIDE	B1	17
78	MF78-600	113	600	260	179	180	180	1	SIDE	B1	17
78	MF78-630	125	630	260	179	180	180	1	SIDE	B1	17
78	MF78-670	130	670	260	179	180	180	1	SIDE	B1	17

SEALED MAINTENANCE FREE BATTERIES

BCI BATTERIES
FOR AMERICAN VEHICLES













Gr. No	Type No.	RC	CCA	Dimension (mm)				Layout	Terminal	Hold-Down	BCI Assembly Figure No.
		(MIN)	SAE	L	W	H	TH				
78	MF78-710	140	710	260	179	180	180	1	SIDE	B1	17
78	MF78-750	155	750	260	179	180	180	1	SIDE	B1	17
78DT	MF78DT-600	113	600	260	179	180	200	1	DT	B1	17
78DT	MF78DT-670	130	670	260	179	180	200	1	DT	B1	17
78DT	MF78DT-710	140	710	260	179	180	200	1	DT	B1	17
78DT	MF78DT-750	155	750	260	179	180	200	1	DT	B1	17
MINI	MF MINIFIT R	65	400	243	127	180	200	1	A	B6	
MINI	MF MINIFIT L	65	400	243	127	180	200	0	A	B6	
22F	MF22F-450	75	450	240	172	180	205	0	DUAL FIT	B9	11F
22F	MF22F-500	90	500	240	172	180	205	0	DUAL FIT	B9	11F
22F	MF22F-550	95	550	240	172	180	205	0	DUAL FIT	B9	11F
94R	MF94R-680	140	680	315	174	190	190	0	A	B13	24
92	MF92-650	125	650	315	174	175	175	0	A	B13	24
93	MF93-800	140	800	354	174	175	175	0	A	B13	24

AGM START-STOP BATTERIES

Gr.No	Type No.	Capacity (20HR)	CCA (SAE)	Dimension (mm)				Layout	Terminal	Hold-Down
				L	W	H	TH			
65	AGM 65-750	70	750	300	187	169	190	1	A	B8
L6	SA 60520	105	950	398	174	190	190	0	A	B13
L1	SA 55020	50	540	208	174	190	190	0	A	B13
L2	SA 56020	60	680	242	174	190	190	0	A	B13
L3	SA 57020	70	760	277	174	190	190	0	A	B13
L4	SA 58020	80	800	314	174	190	190	0	A	B13
L5	SA 59520	95	850	352	174	190	190	0	A	B13

TECHNICAL INFORMATION

LAYOUT

0		1			
10		11			
11F		17			
18		19			
24		26			
2		3		4	

TERMINALS

Terminal	A (Standard)	B (Small)	Top Post	Dual Fit	4F	Stud	Side
Positive						 3/8"-16 Threads	
Negative						 3/8"-16 Threads	

* DT: Dual Terminal (Standard + Side)